



**NATIONAL INSTITUTE FOR THE EMPOWERMENT OF PERSONS
WITH INTELLECTUAL DISABILITIES (DIVYANGJAN)**
Department of Empowerment of Persons with Disabilities (Divyangjan)
(Ministry of Social Justice & Empowerment, Government of India)
Manovikas Nagar, Secunderabad-500 009
(An ISO 9001:2015 Institution)



NIEPID/Pur.10(04)/2019-20/

**SUB: TENDER DOCUMENT FOR PROCUREMENT OF MATERIALS FOR
PHYSIOTHERAPY UNIT - REG.**

TECHNICAL BID

You are requested to submit your offer as per our specification, terms and conditions online through e-procurement under two bid system (technical and financial bid) separately to be quoted as mentioned below:

1	Phyio Equipment Specification	Qty	Offered Specification
1.01	Parallel Bar (Pediatric) with divider adjustable Length 10Feet Height adjusts from 22" to 36" Width adjusts from 16" to 24" Hand rail size 1-1/2" Can be used with optional Model 90 Divider Board Allow wheelchair access with a distance of 31 1/2" clearance between posts	01	
1.02	Stair Climber one side and incline slope on other side • Product Description • Exercise Staircase with Ramp is built in Two Sections to assemble in Right Angle and to fit into a corner. Specifications: * Construction: Sides & Supporting Frame of steps is made of Tubular Pipe (30mm square) with reinforcement. * Step Arrangement: One section has Five steps i.e. 7.5cm, 10cm, 12.5cm, 15cm and again 15cm in height and 25cm deep, leading to platform of 60cm x 60cm. Steps are 60cm wide & 25cm deep. Other section has a Ramp, rising from 2.5cm to 60cm. & leading to the central platform. * Steps, Ramp and Platform is made of commercial board of 12 mm thickness and is covered with non-slip matting. * Hand Rails: Height adjusting Arms are made of Chrome-Plated square steel tubing of 30mm x 30mm. Outer uprights are of square steel tubeing of 35mm x 35mm. : Hand-Rails are made of P.V.C.sheathed iron tubing of 35mm dia. : Inside Width of Hand-rails 60cm. : Height of Handrails are adjustable from 60cm to 90cm to accommodate Adult and Children. * Height Adjustment of Handrails can easily be done by means of setting Pins at the required holes & can further be stabilised by tightening the screws. * Finish: Working Parts are Chrome-Plated and Uprights & Base with powder coated finish.	01	

1.03	Static cycle With a biomechanical seat for those patients requiring back support & reduced gluteal pressure. The sturdy, heavy duty frame with powder coated finish and non-friction magnetic resistance system provides smoothness, durability and must run silent.	01	
1.04	Standing Frame Functional vertical stander with four points of support 1.Height-adjustable Chest, Pelvic & Knee supports 2.Adjustable foot restraints 3.Detachable rimmed tray for activities 4.Chrome-plated uprights fitted on non-slip matted foot board.	01	
1.05	Rowing – Machine "Tubular steel frame, bright chrome plated finish, size 60"long x 13"wide. Specifically designed foam padded seat is fitted with FOUR nylon wheels that slides smoothly over", "the frame. Comes with FIVE Springs of different tensions. TWO high tension springs attached to the seat for leg exercises and Three light tension springs are fitted with Two Handles for Rowing exercises. Resistance can be varied by removal or adding the springs."	01	
1.06	Inter locking mat Perfect flooring, extra cushioning, dual color interlocking mat, both side usable, anti skid design are the main features of our Interlocking Mats. Easy to assemble & dissemble is the popular specification of our karate mat, which is highly appreciated in market.	01	
1.07	Corner seat with cut out table Wooden Floor Sitter CP Corner Chair, with broad base that helps to prevent tipping, has a padded seat, sides and back support. An abductor block, hip positioning belt, and removable tray are the integral part of the floor sitter. Unit finished in natural wood polish.	01	
1.08	CP chair Water Repellant Fabric • Removable Pedals • Upliftable Armrests • Feet Positioning • Reclining Back • Reclining Option Settings • Light Aluminum • 41 cm Inside Width • 55 cm Outside Width • 120 kg Weight Capacity	01	
1.09	Prone Crawler Rexine made body hammock tilts forward or backward for correct positioning of the patient. Height adjustable to accommodate children from 2 to 7 years of age.	01	
1.1	Prone Wedge 15CM X 60CMX70CM	01	
1.11	Prone Wedge 20CM X 60CMX70CM	01	
1.12	Prone Wedge 25CM X 60CMX70CM	01	
1.13	Prone Wedge 30CM X 60CMX70CM	01	
1.14	Bolster 15CM X 60CM	01	
1.15	Bolster 20CMX90CM	01	
1.16	Bolster 25CMX90CM	01	
1.17	Bolster 30CMX90CM	01	
1.18	Therapy ball inflatable,molded heavy duty vinyl ball should support upto 150kg. Diameter of Balls 26" (655cm)	01	

1.19	Bath ball foam padded round Ball Pool of 120cm in diameter x 50cm high, & has 10cm thick padded sides. containing 500 multi colour balls of 7cm or 8cm diameter. Pool side and bottom is covered with durable rexine	01	
1.2	Balance board Rexine covered cushioned platform size is 45cm x 60cm x 15cm high.	01	
1.21	Balance Beam hardwood constructed balance beam -185cm long & walking surface should be covered with non-slip mat. should have a gradual increase in incline from 7cm to 15cm and gradual taper from 8cm to 15cm.	01	
1.22	Scooter board • Includes non-marking swivel rubber casters <ul style="list-style-type: none"> • Features full perimeter bumpers for safety • Dimensions: 60cm Length x 45cm Wide • Heavy wood scooter board • Great indoor or outdoor P.E. activity! 	01	
1.23	Trampoline 40 inches with mesh	01	
1.24	Therapy Mattress Foam Mattresses with rexine cover 3x6x4" 6x6x4"	01	
1.25	Rocker The board encourages rhythm, balance, coordination and vestibular responses. As children develop confidence, they can use it in kneeling or standing position. Features : Platform is padded and wooden parts finished natural. <ul style="list-style-type: none"> • EVA Foam cushioned top is nonslip & provides sure footing during rocking / balance exercises. • The recessed sides provide hand holds to eliminate pinched fingers. 	01	
1.26	Postural Mirror size 180cm x 60cm, protected by 5cm wide hardwood polished frame with back covered by ply board, is fitted with a pair of angular and tubular stand. Frame is mounted on 4 ball-bearing rubber castors of 50mm dia. Overall size is 210cm x 75cm.	01	
1.27	Ladder – floor mounting for gait training Wooden floor ladder with adjustable dividers, Steps may be of equal size and alternately placed for right-left progression. SPECIFICATIONS: Material: Beams & Dividers made of Teak-wood. *Size: 96" long x 27" wide. *Finish: Beams finished in natural wood. Adjustable 16 Divider-bars finished in different enamel colours	01	
1.28	Bubble Bath / Sand Bath	01	

1.29	<p>Hydrotherapy Unit Hydrotherapy Bath Pool is designed in compact Rectangular design for permanent installations with direct connections to Hot & Cold water supply, Overflow and Drainage.</p> <p>construction:heavy gauge (14 & 16gauge) stainless steel sheet, electrically Argon welded tank is in Rectangular Shape.</p> <p>Inside dimension:Tank measures; 200cm long x 100cm wide x 50cm deep from inside.</p> <p>Turbine Ejectors, Aerators & Carriages:One, with 1/2 H.P. motor, Ejectors with elevators on ball bearing carriages.</p> <p>Head-Rest: Adjustable Stainless Steel Head-Support.</p> <p>Stretcher:Stainless Steel Body Stretcher fitted with nylon cloth.</p> <p>Stool:Stainless Steel Stainless Sitting seat fitted with nylon cloth.</p> <p>Thermometer:One digital thermometer to show the temperature of water.</p> <p>Power Supply:220 V AC.</p> <p>Accessories:2 water inlets drain and overflow pipes with all necessary fitting</p> <p>Finish:Bright polish finish inside the tank with special paint finish from outside.</p> <p>Hot & Cold water supply and water drainage. Tank capacity 4500 litres</p>	01	
1.3	Sideline board To put the child in proper side line position as the prone position eventually done. (4 x 8) It is folded from the middle and adjusted according to the child position.	01	
1.31	special CP Chair for 2-5 years Customized as per the customer requirement MS Powder coated frame Rexine seat and back cover Chest and Abdominal support belt	01	
1.32	special CP Chair for 5-8 years Customized as per the customer requirement MS Powder coated frame Rexine seat and back cover Chest and Abdominal support belt	01	
1.33	special CP Chair for 8-12 years Customized as per the customer requirement MS Powder coated frame Rexine seat and back cover Chest and Abdominal support belt	01	
1.34	four spring	01	
1.35	V grip	01	
1.36	Round spring	01	
1.37	sand bags for age 2-5 years	01	
1.38	sand bags for age 5-10 years	01	
1.39	dumb bells for age 2-4 years 1kg	01	
1.4	dumb bells for age 4-6 years 2kg	01	
1.41	dumb bells for age 6-8 years 3kg	01	
1.42	dumb bells for age 8-10 years 4kg	01	
1.43	dumb bells for age-10 -12years 5kg	01	
1.44	weight cuffs 0.5kg	01	
1.45	weight cuffs 1kg	01	
1.46	weight cuffs 2kg	01	
1.47	CP Walker adjustable For age group of 1- to 5 years. Chrome plated rectangular shaped ring is fitted with adjustable saddle gear to hold the child in an upright position. Height of the ring and the handle provided at the rear for the patient to hold, is adjustable. Mounted on four 50mm size ball bearing rubber castors	01	

1.48	CP Walker adjustable Tubular welded rectangular shaped ring fitted with adjustable saddle gear to hold the child in upnght position. Height of the ring is adjustable from 18" to 26". A Handle is provided at the front for the patient to hold. Overall width of the frame 20" & Height 21" mounted on four 2" size ball bearing rubber castors. Oven Baked Finish	01	
1.49	Quadripod high-quality quadripod walking sticks are extremely helpful for patients, who need support while walking. This is perfect aid those with poor balance. The four legged design ensures a better stability. It features a lightweight and sturdy stainless steel construction and the suction rubber bush for better grip on any surface.	01	
1.5	Tripod high-quality tripod walking sticks are extremely helpful for patients, who need support while walking. This is perfect aid those with poor balance. The four legged design ensures a better stability. It features a lightweight and sturdy stainless steel construction and the suction rubber bush for better grip on any surface.	01	
1.51	COCKUP SPLINT	01	
1.52	FOOT DROPS SPLINT	01	
1.53	MILWAUKEE BRACE	01	
1.54	KNEE GUTTER BACK SPLINT	01	
1.55	ELBOW GUTTER BACK SPLINT	01	
1.56	calipers	01	
1.57	Braces	01	
1.58	Gaiter BRACE	01	
1.59	Elbow BRACE	01	
1.6	knee BRACE	01	
1.61	Swings small size	01	
1.62	Swings medium size	01	
1.63	cradel small size	01	
1.64	cradel medium size	01	

Terms & Conditions

1. The price quoted should be inclusive of all taxes.
2. The bids should be submitted on or before 19.03.2020 by 1500 hrs through e-procurement and date of opening 20.03.2020 at 1500 hrs.
3. The tender is required to be submitted through e-procurement online under two bid system(Go to website www.eprocure.gov.in, click on tenders by organization and select National Institute for the Mentally Handicapped.
4. The cost of the Earnest Money Deposit of Rs.6000/- (Rupees Six Thousand Only) the amount may be transferred through RTGS to "NIEPID Institution, A/c No. 3631010100000025, IFSC Code – PUNB0453800, Punjab National Bank, Manovikasnagar, Secunderabad – 500 009 on or before opening of the tender. The details of UTR No. is required to be submitted online.
5. The successful bidder shall have to deposit a performance security deposit @ 7% of the total value of the order in the form of Demand Draft/Bank Guarantee which should

be valid for over and above two months of completion of work/supply or the warranty period.

6. The following documents will be checked for technical scrutiny :
 - a) Technical bid form duly filled as per the format in the tender document should be submitted along with tender document
 - b) Shall submit 03 similar work orders of the value of Rs 1 lakhs and above for each order from different organizations executed in the last 03 years.
 - c) Shall have firm registration/Shop and Establishment license certificate (Attach copies).
 - d) Annual financial statement of company for last 3 years authorized by CA.
 - e) Acceptance certificate of technical bid as per Annexure-1.
 - f) Acceptance certificate of financial bid as per Annexure-2.
 - g) Details of EMD submitted.
 - h) GST/VAT/CST Certificate of the firm to be attached
 - i) PAN details to be attached
 - j) All the pages should be serially numbered, signed and stamped. Indicate the total no. of pages submitted.
 - k) Compliance report of technical specification alongwith brand and catalogue if any.
7. All the above documents are required alongwith the technical bid.
8. The price quoted by the tenderer should be firm and inclusive octroi, freight and forwarding charges, handling charges, loading insurance charges, any other tax/charges inclusive of VAT/GST. No tenderer shall be allowed to revise its original price.
9. The material should conform to the specification given.
10. Delivery should be made at NIEPID HQ, Secunderabad
11. No advance payment will be made. However the payment will be made after 30 days on inspection of materials to our satisfaction.
12. The work should be completed within 30 days.
13. The decision of competent authority is final to accept or reject the Tender or relax the conditions of the tender.
14. The competent authority has right to relax the tender conditions.
15. IT/GST TDS will be deducted as per rules.
16. Demurrage charges will be made for delayed supply @0.5% per week.
17. MSME Registered firms are exempted from EMD

TECHNICAL BID FORM

Sl No.	Description	Submitted Yes/No Indicate the Page No. Where the copy attached In the tender document
1.	Name of the Firm: Head Office Address : Branches Tel. No. Fax No. e-mail web site, if any	
2.	Kind of proprietorship: (i) If limited concern, name and address of Directors and Managing Directors (i) If single owner, name and address of the proprietor and Manager. (ii) If partnership, name and addresses of partners	
3.	Shall submit 03 similar work orders of the value of Rs 1 lakhs and above for each order from different organizations executed in the last 03 years.	
4.	Shall have firm registration/Shop and Establishment license certificate (Attach copies).	
5.	IT returns of the company for last 3 years authorized by CA.	
6.	Acceptance certificate of technical bid as per Annexure- 1.	
7.	Acceptance certificate of financial bid as per Annexure- 2.	
8.	Details of EMD submitted.	
9.	GST/VAT/CST Certificate of the firm to be attached	
10.	PAN details to be attached	
11	All the pages should be serially numbered, signed and stamped. Indicate the total number of pages submitted.	
12	Compliance report of technical specification alongwith brand and catalogue if any	

ACCEPTANCE CERTIFICATE

FOR TECHNICAL BID

I.....(designation).....,of (Name of the Company)..... hereby accept the above mentioned Terms & Conditions for **Procurement of Physiotherapy Materials.**

Date:

Place:

Signature & Company Seal

FINANCIAL BID

Financial Bid is required to be submitted in BOQ format only as per e-procure.

1	Phyio Equipment Specification	Qty	Rate	GST	Total Amount
1.01	<p>Parallel Bar (Pediatric) with divider adjustable Length 10Feet Height adjusts from 22" to 36" Width adjusts from 16" to 24" Hand rail size 1-1/2"</p> <p>Can be used with optional Model 90 Divider Board Allow wheelchair access with a distance of 31 1/2" clearance between posts</p>	01			
1.02	<p>Stair Climber one side and incline slope on other side • Product Description</p> <ul style="list-style-type: none"> • Exercise Staircase with Ramp is built in Two Sections to assemble in Right Angle and to fit into a corner. <p>Specifications:</p> <ul style="list-style-type: none"> * Construction: Sides & Supporting Frame of steps is made of Tubular Pipe (30mm square) with reinforcement. * Step Arrangement: One section has Five steps i.e. 7.5cm, 10cm, 12.5cm, 15cm and again 15cm in height and 25cm deep, leading to platform of 60cm x 60cm. Steps are 60cm wide & 25cm deep. Other section has a Ramp, rising from 2.5cm to 60cm. & leading to the central platform. * Steps, Ramp and Platform is made of commercial board of 12 mm thickness and is covered with non-slip matting. * Hand Rails: Height adjusting Arms are made of Chrome-Plated square steel tubing of 30mm x 30mm. Outer uprights are of square steel tubing of 35mm x 35mm. : Hand-Rails are made of P.V.C.sheathed iron tubing of 35mm dia. : Inside Width of Hand-rails 60cm. : Height of Handrails are adjustable from 60cm to 90cm to accommodate Adult and Children. * Height Adjustment of Handrails can easily be done by means of setting Pins at the required holes & can further be stabilised by tightening the screws. * Finish: Working Parts are Chrome-Plated and Uprights & Base with powder coated finish. 	01			
1.03	<p>Static cycle With a biomechanical seat for those patients requiring back support & reduced gluteal pressure. The sturdy, heavy duty frame with powder coated finish and non-friction magnetic resistance system provides smoothness, durability and must run silent.</p>	01			
1.04	<p>Standing Frame Functional vertical stander with four points of support</p> <ol style="list-style-type: none"> 1.Height-adjustable Chest, Pelvic & Knee supports 2.Adjustable foot restraints 3.Detachable rimmed tray for activities 4.Chrome-plated uprights fitted on non-slip matted foot board. 	01			
1.05	<p>Rowing – Machine "Tubular steel frame, bright chrome plated finish, size 60"long x 13"wide. Specifically designed foam padded seat is fitted with FOUR nylon wheels that slides smoothly over", "the frame. Comes with FIVE Springs of different tensions. TWO high tension springs attached to the seat for leg exercises and Three light tension springs are fitted with Two Handles for Rowing exercises. Resistance can be varied by removal or adding the springs."</p>	01			

1.06	Inter locking mat Perfect flooring, extra cushioning, dual color interlocking mat, both side usable, anti skid design are the main features of our Interlocking Mats. Easy to assemble & disassemble is the popular specification of our karate mat, which is highly appreciated in market.	01			
1.07	Corner seat with cut out table Wooden Floor Sitter CP Corner Chair, with broad base that helps to prevent tipping, has a padded seat, sides and back support. An abductor block, hip positioning belt, and removable tray are the integral part of the floor sitter. Unit finished in natural wood polish.	01			
1.08	CP chair Water Repellant Fabric <ul style="list-style-type: none"> • Removable Pedals • Uplifttable Armrests • Feet Positioning • Reclining Back • Reclining Option Settings • Light Aluminum • 41 cm Inside Width • 55 cm Outside Width • 120 kg Weight Capacity 	01			
1.09	Prone Crawler Rexine made body hammock tilts forward or backward for correct positioning of the patient. Height adjustable to accommodate children from 2 to 7 years of age.	01			
1.1	Prone Wedge 15CM X 60CMX70CM	01			
1.11	Prone Wedge 20CM X 60CMX70CM	01			
1.12	Prone Wedge 25CM X 60CMX70CM	01			
1.13	Prone Wedge 30CM X 60CMX70CM	01			
1.14	Bolster 15CM X 60CM	01			
1.15	Bolster 20CMX90CM	01			
1.16	Bolster 25CMX90CM	01			
1.17	Bolster 30CMX90CM	01			
1.18	Therapy ball inflatable,molded heavy duty vinyl ball should support upto 150kg. Diameter of Balls 26" (655cm)	01			
1.19	Bath ball foam padded round Ball Pool of 120cm in diameter x 50cm high, & has 10cm thick padded sides. containing 500 multi colour balls of 7cm or 8cm diameter. Pool side and bottom is covered with durable rexine	01			
1.2	Balance board Rexine covered cushioned platform size is 45cm x 60cm x 15cm high.	01			
1.21	Balance Beam hardwood constructed balance beam -185cm long & walking surface sould be covered with non-slip mat. should have a gradual increase in incline from 7cm to 15cm and gradual taper from 8cm to 15cm.	01			
1.22	 Scooter board • Includes non-marking swivel rubber casters <ul style="list-style-type: none"> • Features full perimeter bumpers for safety • Dimensions: 60cm Length x 45cm Wide • Heavy wood scooter board • Great indoor or outdoor P.E. activity! 	01			
1.23	Trampoline 40 inches with mesh	01			

1.24	Therapy Mattress Foam Mattresses with rexine cover 3x6x4" 6x6x4"	01			
1.25	Rocker The board encourages rhythm, balance, coordination and vestibular responses. As children develop confidence, they can use it in kneeling or standing position. Features : Platform is padded and wooden parts finished natural. <ul style="list-style-type: none"> EVA Foam cushioned top is nonslip & provides sure footing during rocking / balance exercises. The recessed sides provide hand holds to eliminate pinched fingers. 	01			
1.26	Postural Mirror size 180cm x 60cm, protected by 5cm wide hardwood polished frame with back covered by ply board, is fitted with a pair of angular and tubular stand. Frame is mounted on 4 ball-bearing rubber castors of 50mm dia. Overall size is 210cm x 75cm.	01			
1.27	Ladder – floor mounting for gait training Wooden floor ladder with adjustable dividers, Steps may be of equal size and alternately placed for right-left progression. SPECIFICATIONS: Material: Beams & Dividers made of Teak-wood. *Size: 96" long x 27" wide. *Finish: Beams finished in natural wood. Adjustable 16 Divider-bars finished in different enamel colours	01			
1.28	Bubble Bath / Sand Bath	01			
1.29	Hydrotherapy Unit Hydrotherapy Bath Pool is designed in compact Rectangular design for permanent installations with direct connections to Hot & Cold water supply, Overflow and Drainage. construction:heavy gauge (14 & 16gauge) stainless steel sheet, electrically Argon welded tank is in Rectangular Shape. Inside dimension:Tank measures; 200cm long x 100cm wide x 50cm deep from inside. Turbine Ejectors, Aerators & Carriages:One, with 1/2 H.P. motor, Ejectors with elevators on ball bearing carriages. Head-Rest: Adjustable Stainless Steel Head-Support. Stretcher:Stainless Steel Body Stretcher fitted with nylon cloth. Stool:Stainless Steel Stainless Sitting seat fitted with nylon cloth. Thermometer:One digital thermometer to show the temperature of water. Power Supply:220 V AC. Accessories:2 water inlets drain and overflow pipes with all necessary fitting Finish:Bright polish finish inside the tank with special paint finish from outside. Hot & Cold water supply and water drainage. Tank capacity 4500 litres	01			
1.3	Sideline board To put the child in proper side line position as the prone position eventually done. (4 x 8) It is folded from the middle and adjusted according to the child position.	01			
1.31	special CP Chair for 2-5 years Customized as per the customer requirement MS Powder coated frame Rexine seat and back cover Chest and Abdominal support belt	01			
1.32	special CP Chair for 5-8 years Customized as per the customer requirement MS Powder coated frame Rexine seat and back cover Chest and Abdominal support belt	01			

1.33	special CP Chair for 8-12 years Customized as per the customer requirement MS Powder coated frame Rexine seat and back cover Chest and Abdominal support belt	01			
1.34	four spring	01			
1.35	Vgrip	01			
1.36	Round spring	01			
1.37	sand bags for age 2-5 years	01			
1.38	sand bags for age 5-10 years	01			
1.39	dumb bells for age 2-4 years 1kg	01			
1.4	dumb bells for age 4-6 years 2kg	01			
1.41	dumb bells for age 6-8 years 3kg	01			
1.42	dumb bells for age 8-10 years 4kg	01			
1.43	dumb bells for age-10 -12years 5kg	01			
1.44	weight cuffs 0.5kg	01			
1.45	weight cuffs 1kg	01			
1.46	weight cuffs 2kg	01			
1.47	CP Walker adjustable For age group of 1- to 5 years. Chrome plated rectangular shaped ring is fitted with adjustable saddle gear to hold the child in an upright position. Height of the ring and the handle provided at the rear for the patient to hold, is adjustable. Mounted on four 50mm size ball bearing rubber castors	01			
1.48	CP Walker adjustable Tubular welded rectangular shaped ring fitted with adjustable saddle gear to hold the child in upnght position. Height of the ring is adjustable from 18" to 26". A Handle is provided at the front for the patient to hold. Overall width of the frame 20" & Height 21" mounted on four 2" size ball bearing rubber castors. Oven Baked Finish	01			
1.49	Quadripod high-quality quadripod walking sticks are extremely helpful for patients, who need support while walking. This is perfect aid those with poor balance. The four legged design ensures a better stability. It features a lightweight and sturdy stainless steel construction and the suction rubber bush for better grip on any surface.	01			
1.5	Tripod high-quality tripod walking sticks are extremely helpful for patients, who need support while walking. This is perfect aid those with poor balance. The four legged design ensures a better stability. It features a lightweight and sturdy stainless steel construction and the suction rubber bush for better grip on any surface.	01			
1.51	COCKUP SPLINT	01			
1.52	FOOT DROPS SPLINT	01			
1.53	MILWAUKEE BRACE	01			
1.54	KNEE GUTTER BACK SPLINT	01			
1.55	ELBOW GUTTER BACK SPLINT	01			
1.56	calipers	01			
1.57	Braces	01			
1.58	Gaiter BRACE	01			
1.59	Elbow BRACE	01			
1.6	knee BRACE	01			
1.61	Swings small size	01			
1.62	Swings medium size	01			
1.63	cradel small size	01			
1.64	cradel medium size	01			

ACCEPTANCE CERTIFICATE

FOR FINANCIAL BID

I.....(designation).....,of (Name of the Company)..... hereby accept the above mentioned Terms & Conditions for **Procurement of Physiotherapy Materials.**

Date:

Place:

Signature & Company Seal