



**NATIONAL INSTITUTE FOR THE EMPOWERMENT OF PERSONS
WITH INTELLECTUAL DISABILITIES (DIVYANGJAN)**
Department of Empowerment of Persons with Disabilities (Divyangjan)
(Ministry of Social Justice & Empowerment, Government of India)
Manovikas Nagar, Secunderabad-500 009
(An ISO 9001:2015 Institution)



NIEPID/Pur.10(201)/2021-22

Tender No.01/2021

**SUB: TENDER FOR PROCUREMENT OF OCCUPATIONAL THERAPY AND
PHYSIOTHERAPY MATERIALS FOR CRC RAJNANDGOAN- REG.**

TECHNICAL BID

You are requested to submit your offer as per our specification, terms and conditions online through e-procurement under two bid system (technical and financial bid separately to be quoted as mentioned below:

1. Technical Specifications of OT equipments

Sl. No.	Material	Specification	Qty	Technical specification offered
1.	Fireball mounted on the roof toys	Non breakable chain AC Input	1 nos.	
2.	Swing with all attachment (Bolster, Platform, Hammock)	Complete Stand of good quality steel Multi Axial connection/pulley attachment to swing attachment must include 1. Bolster 2. Platform Hammock, Hanging material Steel Chain, Non Breakable, No sound while Swing	1 nos.	
3.	Rope Ladder	10 feet long load bearing capacities 95 kg minimum	1 nos.	
4.	Rhythmic Rocker		1 nos.	
5.	Real Size animal	Washable, Light weight, non toxic	3 nos.	
6.	Dermel Rotary Tool With Kit	Item Weight-4.15 pounds, Color-black Style-Rotary tool Power Source-electric Voltage-120 volts Item Package Quantity-1 Included Components-case Warranty Description-2 year warranty Accessory – 1 - High Speed Cutter 2 - 15/16" Cut-off Wheels 3 - 1-1/4" Fiberglass Reinforced Cut-off Wheels 3 - Carbide Cutting/Shaping Wheel 4 - Silicon Carbide Grinding Stone 4 - Aluminum Oxide Grinding Stone 5 - Aluminum Oxide Grinding Stone 6 - Carbon Steel Brush 7 - Carbon Steel Brushes 8 - Felt Polishing 1/2" Wheels 9 - Polishing Compound	1 nos.	

		<p>10 - Felt Polishing 1" Wheel 11 - 1/2" Sanding Drum 12 - 1/2" 120-grit Sanding Bands 13 - Sandings Discs, 180 grit 14 - Sanding Discs, 220 grit 15 - Sanding Discs, 240 grit 16 - 1/2" 240-grit Sanding Bands, 6 Pack 17 - Mandrel 18 - Rotary Tool mandrel</p> <ul style="list-style-type: none"> • Workstation- • Articulating Drill Press- Drills Perpendicular and Angled Holes in 15-degree Increments up to 90 Degrees Horizontal • Tool Holder- Holds Tool at 90 Degrees Horizontal for Tasks Such as Polishing Metal Objects Sanding Different Shapes and Grinding Metal Pieces • Flex Shaft Tool Stand- Allows Telescopic Adjustment to Any Height Between 16 and 29 Inches Crow's Nest Provides On-board Storage for Drill Bits Wrenches and Other Dremel Accessories • Cord Management Clips - for Safe Storage of Power Cords Inch/Metric Marking on Base - For Accurate Drilling of Workpiece Depth Markings with Depth Stop - for Consistent Depth Sturdy Metal Base with 4 Clamping Points - to Securely Hold the Station. <p>Compatible with Dremel Rotary Tool models 100 200 275</p>		
7.	Strech Band	5 resistance - 15 cm wide & 5.5 meter long bands	1 set	
8.	Box & Block Test	<p>The Box and Block Test is a portable version of the standardized test of manual dexterity. The test provides a baseline for upper extremity manual dexterity and gross motor coordination. It is quick and simple to administer, and suitable for persons with low intelligence and/or limited manual dexterity. Complete with 150 color wooden blocks that are 1" (2.54cm) square the test comes in a closable box for easy portability and storage.</p> <ul style="list-style-type: none"> • Portable and easy to store • 150 color wooden blocks • Quick and simple to administer • Suitable for persons with low intelligence and/or limited manual dexterity • Complete with 150 color wooden blocks that are 1" (2.54cm) square • Closable box for easy portability and storage. • Weight: 11.3000 • Latex content: Latex Free • Wooden Blocks: 1" (2.54cm) square 	1 no	

Technical Specification of Physiotherapy Equipment				
1.	Medicine Ball	Types: Leather Size: 1Kg, 2 Kg, 3 Kg, 4 Kg, 5 Kg	1 nos.	Technical specification offered
2.	Wage Board	1 Can be used as a sitting up back rest, a pillow raiser, a foot raiser or a prone wedge. Foam filled wedges covered with Rexene Size: (1) 36 inches Length x 24 inches breadth x 8 inches Height (2) 36 inches Length x 24 inches breadth x 12 inches Height (3) 36 inches Length x 24 inches breadth x 15 inches Height 7. Four- 75mm x 75mm, Fibre sheets of different textures.	1 nos.	
3.	Therapy Ball	A) 65 cm B) 45 cm	1 nos.	
4.	Therapy Mats	6 ft *3 ft (Length 6Ft & Breadth 3 ft) made up Rubberized foam , Vinyl coated cover, Thickness 4cm, can be wiped clean with a damp cloth	1 nos.	
5.	Small roll	13 inch long, diameter – 3 inch width sponge roll covered with Rexene	1 nos.	
6.	Prone Wedge	Big Height -14 inch; length-31 inch, breadth-17 inch	1 nos.	
7.	Balance board	45cm X 60cm X15 cm height	1 nos.	
8.	Wooden Benches with Cushion & Rexene Cover	Small size	1 nos.	
9.	Special Chair (CP Chair)	Small size	4 nos.	
10.	Toys	For play & Stimulation (soft toys , puzzles, light & sound toys, wooden toys)	1 nos.	

Terms & Conditions

1. The price quoted should be inclusive of all taxes.
2. The bids should be submitted on or before 29.04.2021 by 1100hrs through e-procurement and date of opening 30.04.2021 at 1100 hrs.
3. The tender is required to be submitted through e-procurement online under two bid system (Go to website www.eprocure.gov.in/eprocure, click on tenders by organization and select National Institute for the Mentally Handicapped).
4. The successful bidder shall have to deposit a performance security deposit @ 3% of the total value of the order in the form of Demand Draft/Bank Guarantee which should be valid for over and above two months of completion of work/supply or the warranty period.
5. The following documents will be checked for technical scrutiny :
 - a) Technical bid form duly filled as per the format in the tender document should be submitted along with tender document.
 - b) Shall submit 03 similar work orders of the value of Rs 01 lakhs and above for each order from different organizations executed in the last 03 years.
 - c) Shall have firm registration/Shop and Establishment Licenses certificate (Attach copies)
 - d) Annual financial statement of company for last 3 years authorized by CA.
 - e) Acceptance certificate of technical bid as per Annexure-1.
 - f) Acceptance certificate of financial bid as per Annexure-2.
 - g) GST/VAT/CST Certificate of the firm to be attached
 - h) PAN details to be attached
 - i) All the pages should be serially numbered, signed and stamped. Indicate the total no. of pages submitted.
 - j) Compliance report of technical specification alongwith brand and catalogue if any.
7. All the above documents are required alongwith the technical bid.
8. The price quoted by the tenderer should be firm and inclusive octroi, freight and forwarding charges, handling charges, loading insurance charges, any other tax/charges inclusive of VAT/GST. No tenderer shall be allowed to revise its original price.
9. The material should conform to the specification given.
10. Delivery should be made by you free of charges at CRC Rajnandgaon, Chattishgarh Old District Hospital Campus, Chhattisgarh 491441
11. No advance payment will be made. However the payment will be made after 30 days on inspection of materials to our satisfaction.
12. The work should be completed within 30 days.
13. The decision of competent authority is final to accept or reject the Tender or relax the conditions of the tender.
14. The competent authority has right to relax the tender conditions.
15. IT/GST TDS will be deducted as per rules.
16. Demurrage charges will be made for delayed supply @0.5% per week.
17. The bidders who intend to participate in the tender are exempted from payment of tender fee and EMD as per guidelines issued by the Department of Expenditure, Govt. of India. Further, a bid security declaration should be submitted by all the bidders as per the format given below at Annexure IV
18. If a firm quotes 0/NIL charges in e-procurement, the bid shall be treated as unresponsive and the particular item will not be considered for that firm. Since, 0 (Zero) is automatically taken as L1 by e-procurement, the Institute will take the next lowest value for consideration.
19. The units registered with MSME will be eligible to get the benefits as per MSME schemes guidelines issued 2015. The details are available on Page No.34 of MSME schemes booklet

20. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause
21. For any tender query, you may contact through email at niepid.purchase@gmail.com, nimh.dda@gmail.com or through telephone at 040-27751741 Extn..258 during working hours.
- 22.The Bidder should submit the bids online through CPP Portal (www.eprocure.gov.in) well in advance of the last date of submission. This Institute will not be responsible for any delay due to technical or other issues.

TECHNICAL BID FORM

Sl No.	Description	Submitted Yes/No Indicate the Page No. Where the copy attached In the tender document
1.	Name of the Firm: Head Office Address : Branches Tel. No. Fax No. e-mail web site, if any	
2.	Kind of proprietorship: (i) If limited concern, name and address of Directors and Managing Directors i) If single owner, name and address of the proprietor and Manager. ii) If partnership, name and addresses of partners	
3.	Shall submit 03 similar work orders of the value of Rs 01 lakhs and above for each order from different organizations executed in the last 03 years.	
4.	Shall have firm registration/Shop and Establishment Licenses certificate (Attach copies)	
5.	Annual financial statement for last 3 years authorized by CA.	
6.	Acceptance certificate of technical bid as per Annexure-1.	
7.	Acceptance certificate of financial bid as per Annexure-2.	
8.	GST/VAT/CST Certificate of the firm to be attached	
9.	PAN details to be attached	
10	All the pages should be serially numbered, signed and stamped. Indicate the total number of pages submitted.	
11.	Compliance report of technical specification alongwith brand and catalogue if any as per Annexure-3	

ACCEPTANCE CERTIFICATE

FOR TECHNICAL BID

I.....(designation).....,of (Name of the Company)..... hereby accept the above mentioned Terms & Conditions for **Procurement of Occupational Therapy and Physiotherapy Materials** for CRC Rajnandgaon, Chattishgarh

Date:

Place:

Signature & Company Seal

ACCEPTANCE CERTIFICATE

FOR FINANCIAL BID

I.....(designation).....,of (Name of the Company)..... hereby accept the above mentioned Terms & Conditions for **Procurement of Occupational Therapy, and Physiotherapy Materials for CRC Rajnandgaon, Chattishgarh**

.

Date:

Place:

Signature & Company Seal

Compliance report of technical specification**Technical Specifications of OT Equipments**

Sl. No.	Material	Specification	Qty	Compliance report of technical specification Yes/No
1.	Fireball mounted on the roof toys	Non breakable chain AC Input	1 nos.	
2.	Swing with all attachment (Bolster, Platform, Hammock)	Complete Stand of good quality steel Multi Axial connection/pulley attachment to swing attachment must include 3. Bolster 4. Platform Hammock, Hanging material Steel Chain, Non Breakable, No sound while Swing	1 nos.	
3.	Rope Ladder	10 feet long load bearing capacities 95 kg minimum	1 nos.	
4.	Rhythmis Rocker		1 nos.	
5.	Real Size animal	Washable, Light weight, non toxic	3 nos.	
6	Dermel Rotary Tool With Kit	Item Weight-4.15 pounds, Color-black Style-Rotary tool Power Source-electric Voltage-120 volts Item Package Quantity-1 Included Components-case Warranty Description-2 year warranty Accessory – 1 - High Speed Cutter 2 - 15/16" Cut-off Wheels 3 - 1-1/4" Fiberglass Reinforced Cut-off Wheels 3 - Carbide Cutting/Shaping Wheel 4 - Silicon Carbide Grinding Stone 4 - Aluminum Oxide Grinding Stone 5 - Aluminum Oxide Grinding Stone 6 - Carbon Steel Brush 7 - Carbon Steel Brushes 8 - Felt Polishing 1/2" Wheels 9 - Polishing Compound 10 - Felt Polishing 1" Wheel 11 - 1/2" Sanding Drum 12 - 1/2" 120-grit Sanding Bands 13 - Sandings Discs, 180 grit 14 - Sanding Discs, 220 grit 15 - Sanding Discs, 240 grit 16 - 1/2" 240-grit Sanding Bands, 6 Pack 17 - Mandrel 18 - Rotary Tool mandrel • Workstation- • Articulating Drill Press- Drills Perpendicular and Angled Holes in 15-degree Increments up to 90 Degrees Horizontal • Tool Holder- Holds Tool at 90 Degrees Horizontal for Tasks Such as Polishing Metal Objects Sanding Different Shapes and Grinding	1 nos.	

		<p>Metal Pieces</p> <ul style="list-style-type: none"> • Flex Shaft Tool Stand- Allows Telescopic Adjustment to Any Height Between 16 and 29 Inches Crow's Nest Provides On-board Storage for Drill Bits Wrenches and Other Dremel Accessories • Cord Management Clips - for Safe Storage of Power Cords Inch/Metric Marking on Base - For Accurate Drilling of Workpiece Depth Markings with Depth Stop - for Consistent Depth Sturdy Metal Base with 4 Clamping Points - to Securely Hold the Station. Compatible with Dremel Rotary Tool models 100 200 275 		
7	Strech Band	5 resistance - 15 cm wide & 5.5 meter long bands	1set	
8	Box & Block Test	<p>The Box and Block Test is a portable version of the standardized test of manual dexterity. The test provides a baseline for upper extremity manual dexterity and gross motor coordination. It is quick and simple to administer, and suitable for persons with low intelligence and/or limited manual dexterity. Complete with 150 color wooden blocks that are 1" (2.54cm) square the test comes in a closable box for easy portability and storage.</p> <ul style="list-style-type: none"> • Portable and easy to store • 150 color wooden blocks • Quick and simple to administer • Suitable for persons with low intelligence and/or limited manual dexterity • Complete with 150 color wooden blocks that are 1" (2.54cm) square • Closable box for easy portability and storage. • Weight: 11.3000 • Latex content: Latex Free • Wooden Blocks: 1" (2.54cm) square 	1 no	

Technical Specification of Physiotherapy Equipment				
1.	Medicine Ball	Types: Leather Size: 1Kg, 2 Kg, 3 Kg, 4 Kg, 5 Kg	1 nos.	Compliance report of technical specifications Yes/No
2.	Wage Board	<p>1 Can be used as a sitting up back rest, a pillow raiser, a foot raiser or a prone wedge.</p> <p>Foam filled wedges covered with Rexene</p> <p>Size: (1) 36 inches Length x 24 inches breadth x 8 inches Height (2) 36 inches Length x 24 inches breadth x 12 inches Height</p>	1 nos.	

		(3) 36 inches Length x 24 inches breadth x 15 inches Height 7. Four- 75mm x 75mm, Fibre sheets of different textures.		
3.	Therapy Ball	C) 65 cm D) 45 cm	1 nos.	
4.	Therapy Mats	6 ft *3 ft (Length 6Ft & Breadth 3 ft) made up Rubberized foam , Vinyl coated cover, Thickness 4cm, can be wiped clean with a damp cloth	1 nos.	
5.	Small roll	13 inch long, diameter – 3 inch width sponge roll covered with Rexene	1 nos.	
6.	Prone Wedge	Big Height -14 inch; length-31 inch, breadth-17 inch	1 nos.	
7.	Balance board	45cm X 60cm X15 cm height	1 nos.	
8.	Wooden Benches with Cushion & Rexene Cover	Small size	1 nos.	
9.	Special Chair (CP Chair)	Small size	4 nos.	
10.	Toys	For play & Stimulation (soft toys , puzzles, light & sound toys, wooden toys)	1 nos.	

BID SECURITY DECLARATION

I Name of the Owner _____, Company/Agency Name _____ are submitting the bids for tender for _____ having tender ID _____ at NIEPID HQ, Secunderabad through e-procurement.

I Name of the Owner _____, Company/Agency Name _____ hereby declare that if I/we withdraw or modify the Bids during the period of validity, or if I/we are awarded the contract and fail to sign the contract, or to submit a performance security before the deadline defined in the request for bids/ request for proposals document, I/we may be suspended for a period of 03 years from being eligible to submit Bids/ Proposals for tenders with NIEPID.

Date :

Signature :

Name :

Place :

Seal&Stamp

**The price bid to be quoted in BOQ Format Only separately in
Financial bid online and the price not to be quote here**

Validate
Print
Help

15

Item wise BOQ

Tender Inviting Authority: < Director NIEPID >
Name of Work: < Supply of Occupational Therapy and Physiotherapy Materials for CRC Rajnandgoan >
Contract No: <Occupational Therapy and Physiotherapy Materials >

Name of the Bidder/ Bidding Firm / Company :	
---	--

PRICE SCHEDULE
(DOMESTIC TENDERS - RATES ARE TO GIVEN IN RUPEES (INR) ONLY)

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	NUMBER	NUMBER	NUMBER	NUMBER	TEXT	NUMBER #	NUMBER #	TEXT #
----------	--------	--------	----------	--------	--------	----------	--------	--------	--------	--------	------	----------	----------	--------

Sl. No.	Item Description	Item Code / Make	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	Excise Duty Amount in INR Rs. P	GST Amount in INR Rs. P	Freight Charges (Unloading & Stacking) in Rs. P	Any Other Taxes in Rs. P	Any Other Duties/Levies in Rs. P	TOTAL AMOUNT Without Taxes col (13) = (4) x (7) in Rs. P	TOTAL AMOUNT With Taxes col (14) = sum (8) to (13) in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	OT Equipments													
1.01	Fireball mounted on the roof toys Non breakable chain AC Input	item4	1	Nos	0.00							0.00	0.00	INR Zero Only
1.02	Swing with all attachment (Bolster, Platform, Hammock) Complete Stand of good quality steel Multi Axial connection/pulley attachment to swing attachment must include 1. Bolster	item8	1	Nos	0.00							0.00	0.00	INR Zero Only

	2. Platform Hammock, Hangiing material Steel Chain, Non Breakable, No sound while Swing													
1.03	Rope Ladder 10 feet long load bearing capacities 95 kg minimum	item10	1	Nos	0.00							0.00	0.00	INR Zero Only
1.04	Rhythmis Rocker	item11	1	Nos	0.00							0.00	0.00	INR Zero Only
1.05	Real Size animal Washable, Light weight, non toxic	item14	3	Nos	0.00							0.00	0.00	INR Zero Only

1.06	Dermel Rotary Tool With Kit	item1 5	1	Nos	0.00							0.00	0.00	INR Zero Only
	Item Weight-4.15 pounds, Color-black Style-Rotary tool Power Source-electric Voltage-120 volts Item Package Quantity-1 Included Components-case Warranty Description-2 year warranty Accessory – 1 - High Speed Cutter 2 - 15/16" Cut-off Wheels 3 - 1-1/4" Fiberglass Reinforced Cut-off Wheels 3 - Carbide Cutting/Shaping Wheel 4 - Silicon Carbide Grinding Stone 4 - Aluminum Oxide Grinding Stone 5 - Aluminum Oxide													

	Grinding Stone 6 - Carbon Steel Brush 7 - Carbon Steel Brushes 8 - Felt Polishing 1/2" Wheels 9 - Polishing Compound 10 - Felt Polishing 1" Wheel 11 - 1/2" Sanding Drum 12 - 1/2" 120-grit Sanding Bands 13 - Sandings Discs, 180 grit 14 - Sanding Discs, 220 grit 15 - Sanding Discs, 240 grit 16 - 1/2" 240-grit Sanding Bands, 6 Pack 17 - Mandrel 18 - Rotary Tool mandrel • Workstation- • Articulating Drill Press- Drills Perpendicular and Angled Holes in 15- degree Increments														
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

	<p>up to 90 Degrees Horizontal</p> <ul style="list-style-type: none"> • Tool Holder- Holds Tool at 90 Degrees Horizontal for Tasks Such as Polishing Metal Objects Sanding Different Shapes and Grinding Metal Pieces • Flex Shaft Tool Stand- Allows Telescopic Adjustment to Any Height Between 16 and 29 Inches • Crow's Nest Provides On-board Storage for Drill Bits Wrenches and Other Dremel Accessories • Cord Management Clips - for Safe Storage of Power Cords Inch/Metric Marking on Base - For Accurate Drilling of Workpiece Depth Markings with Depth Stop - for Consistent Depth <p>Sturdy Metal Base</p>														
--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--

	with 4 Clamping Points - to Securely Hold the Station. Compatible with Dremel Rotary Tool models 100 200 275													
--	---	--	--	--	--	--	--	--	--	--	--	--	--	--

1.07	Strech Band 5 resistance - 15 cm wide & 5.5 meter long bands	item1 6	1	set	0.00								0.00	0.00	INR Zero Only
1.08	Box & Block Test The Box and Block Test is a portable version of the standardized test of manual dexterity. The test provides a baseline for upper extremity manual dexterity and gross motor coordination. It is quick and simple to administer, and suitable for persons with low intelligence and/or limited manual dexterity. Complete with 150 color wooden blocks that are 1" (2.54cm) square the test comes in a closable box for easy portability and storage. • Portable and easy	item2 1	1	Nos	0.00								0.00	0.00	INR Zero Only

	<p>to store</p> <ul style="list-style-type: none"> • 150 color wooden blocks • Quick and simple to administer • Suitable for persons with low intelligence and/or limited manual dexterity • Complete with 150 color wooden blocks that are 1" (2.54cm) square • Closable box for easy portability and storage. • Weight: 11.3000 • Latex content: Latex Free • Wooden Blocks: 1" (2.54cm) square 													
1.09	<p><u>Physiothera</u> <u>py</u> <u>Equipment</u></p> <p>Medicine Ball</p>	item2 3	1	set	0.00							0.00	0.00	INR Zero Only

	Types: Leather Size: 1Kg, 2 Kg, 3 Kg, 4 Kg, 5 Kg													
1.1	Wage Board 1Can be used as a sitting up back rest, a pillow raiser, a foot raiser or a prone wedge. Foam filled wedges covered with Rexene Size: (1)36 inches Length x 24 inches breadth x 8 inches Height (2) 36 inches Length x 24 inches breadth x 12 inches Height (3) 36 inches Length x 24 inches breadth x 15 inches Height7. Four- 75mm x 75mm, Fibre sheets of different textures.	item2 5	1	set	0.00							0.00	0.00	INR Zero Only

1.11	Therapy Ball A) 65 cm, 45 Cm	item2 8	1	Nos	0.00							0.00	0.00	INR Zero Only
1.12	Therapy Mats 6 ft *3 ft (Length 6Ft & Breadth 3 ft) made up Rubberized foam , Vinyl coated cover, Thickness 4cm, can be wiped clean with a damp cloth	item2 9	1	Nos	0.00							0.00	0.00	INR Zero Only
1.13	Small roll 13 inch long, diameter – 3 inch width sponge roll covered with Rexene	item3 1	1	Nos	0.00							0.00	0.00	INR Zero Only
1.14	Prone Wedge Big Height -14 inch; length-31 inch, breadth-17 inch	item3 2	1	Nos	0.00							0.00	0.00	INR Zero Only
1.15	Balance board 45cm X 60cm X15 cm height	item3 3	1	Nos	0.00							0.00	0.00	INR Zero Only
1.16	Wooden Benches with Cushion & Rexene Cover	item3 6	1	Nos	0.00							0.00	0.00	INR Zero Only

	Small size													
1.17	Special Chair (CP Chair) Small size	item3 7	4	Nos	0.00							0.00	0.00	INR Zero Only
1.18	Toys For play & Stimulation (soft toys , puzzles, light & sound toys, wooden toys)	item3 8	1	Nos	0.00							0.00	0.00	INR Zero Only
Total in Figures												0.00	0.00	INR Zero Only
Quoted Rate in Words		INR Zero Only												